


Top » Catalog » Stand Alone DVR » DVRH8028 » 8 Channel H.264 Digital Video Recorder

[DVRH8028]



► Features

- 2 USB Ports for mouse usage and backup
- Dual streaming enhances the speed of network transmission
- Built-in VGA output up to 1024x768 resolution
- Individual setup of resolution, frame rate and video quality for each channel
- Still image snapshot
- AVI Converter with time stamp
- H.264 compression ideal for saving HDD space
- Real time live display
- Live display, record, backup, playback and network access simultaneously
- Picture-in-Picture monitoring and 2X to 8X digital zoom display
- Control methods: front panel, USB mouse, IR remote controller, client viewer
- Intuitive GUI for easy configuration and menu driven operation
- Pan / Tilt / Zoom camera control
- Data backup: USB devices, network
- Event triggered with email notification: motion detection, alarm, video loss
- Supports Internet Explorer with same GUI as DVR site
- Multi-language OSD
- Central Management System (CMS) supports up to 15 DVRs
- 3G/GPRS mobile phone monitoring

► Specification

CONNECTOR	
Video System	NTSC / PAL Switch
Video Input	8-CH BNC
Loop	N/A
Video Output	1-CH BNC
SPOT Output	1-CH Bnc
VGA Output	1024x768 (Optional)
S-Video Output	N/A
Audio Input	4-CH RCA
Audio Output	1-CH RCA
Audio Backup	YES
Sensor	8 Inputs/1 Output
RS-232	N/A
RS-485	Pan/Tilt/Zoom Camera
USB Port	2 ports
Mouse	USB Mouse
IR Remote Controller	YES
STORAGE	
HDD Support	SATA HDD x 2 (Max. 1TB) + DVD Writer x1
CD Writer	N/A
DVD Writer	Optional
OSD	
Display Divison	1,4,9
GUI	YES
Title	14 Characters
Digital Zoom	2X - 8X
Recording	
Video Compression	H.264
Resolution	720x480, 720x240, 360x240
Frame Rate	60, 120, 240
Qualiy	Highest, High, Normal, Low, Lowest
Record Mode	Manual, Schedule, Event(motion detection/sensor)
Pre-Alarm Recording	16MB (10 sec)
Post-Alarm Recording	1-999 sec
Motion Detection	16X12 (sensitivity 1~15)
Watermark Proof	N/A
PLAYBACK	
Search Mode	Time, Event
Playback Speed	fast forward/backward 2X/4X/8X/16X/32X/64X slow forward/backward 1/2X, 1/4X, 1/8X, 1/16X play/pause
Backup Mode	USB Flash Driver/Network/Optional DVD Media
NETWORK	
Network Compression	H.264
Software	Internet Explorer / CMS / 3G Mobile Phone
Internet Explorer	YES
Firefox	NO
Network Users	5
Remote Notification	E-mail Message
Service	TCP/IP, SMTP, DHCP, DDNS, PPPoE
OTHER	

Daylight Saving	YES
Password	5 users including 1 administrator user authority selectable
Key Lock	YES
Keyboard Controller	N/A
Firmware Update	USB Device
Dimension	430mm (W) x 70mm (H) x 306mm (D)
Power Source	DC12V
Features	Central Management System (CMS) supports up to 16 DVRs 3G/GPRS mobile phone monitoring